KOTAKO










FIRE RETARDANT





FPS-5111

FPS-5112









FPS-5113

FPS-5114

FPS-5115

FPS-5116

SPECIFICATIONS

Composition : PVC & Woven Polyester

Thickness : 1.20 mm Width : 137 cm

Usage : Indoor Upholstery

Repeat : No

PERFORMANCE

Abrasion : 53.000 rubs Flammability : FMVSS - 302

Phthalate Free : REACH

^{*} Colors shown are indicative references only and will vary dependent on screen resolution



HEAD OFFICE: PT. BERKAT UNGGUL PRATAMA

Komplek Citta Graha, 31. Panjang No. 26 Blok 21. | Jakarta 11520 - Indonesia | +62 21 5819089

SHOWROOM: LEDER HAUS

3AKARTA - Komplek Cipete Square, 3l. Cipete Raya 55 No.7 | 3akarta 12410 - Indonesia | +62 21 75900 679

BANDUNG - Komplek Batununggal Indah, 3l. Batununggal Indah Raya No. 415 | Bandung 40266 - Indonesia | +62 22 8730 7759

BALI - Komplek Istana Kuta Galeria, Jl. Patih Jelantik, Blok PM1 No.6 | Kuta, Badung. Bali 80361 - Indonesia | +62361 4752 806





Test Report

Applicant: PT Berkat Unggul Pratama

Komplek Citta Graha Jl Panjang No 26 Blok 2L Kedoya Selatan Kebon Jeruk

Jakarta Barat

Attn : Endang

Sample description:

One (1) group of submitted sample said to be :

Material Name : CSL Country of Original : Taiwan

Buyers Company Name : PT Berkat Unggul Pratama

Date sample received : Apr 18, 2023

Testing period : Apr 18, 2023 to May 11, 2023

.....

Test conducted:

As requested by the applicant, for details please refer to attached pages.

Conclusion:

Section No.	Test Name	Evaluation	
230428004-MT-1-EN,001	Flammability	Conforming	

Remark:

Test subcontracted to Intertek China

Prepared and checked by: For Intertek Indonesia




Made Widyani Operation Manager - Testing Report Number: JKTH23001290

May 11, 2023

Date :



Test Report Number: JKTH23001290



END OF THE TEST REPORT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and sofely for the purpose for which is provided and on the basis of instructions and information end/or materials supplied by Intertak's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any perticular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertak provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertak do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertak over any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertak Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertak.com/terms.



Test Report Report Number: JKTH23001290

TEST ITEMS, METHOD AND RESULTS:

230428004-MT-1- EN.001	Flammability					
Ref. Specs Section	FMVSS 302-2021					
Date Tested	2023-05-06~2023-0	5-07				
Sample No.	IAS2304280040101-1~IAS2304280040101-5					
Test Method	Sample Preparation Methods: specimens made by customer; Sample Handing: Temperature 21°C; Relative humidity50%; Time 24h; Test environment: Temperature 23±2°C; Relative humidity50±5%. The test was performed in accordance with FMVSS 302-2021. Specimens size 356×100×1.2mm,No wires Gas flame height: 38mm. Duration for exposure to the flame: 15s.					
Acceptance Criteria	≤102mm/min					
Deviation	None					
Test Results	Samp	ole ID	Burn Length (mm)	Burn Time (s)	Burn Rate (mm/min)	
	IAS2304280040101-1		/	. /	0	
	IAS2304280040101-2		/	1	0	
	IAS2304280040101-3		/	1	0	
	IAS2304280040101-4		/	1	0	
	IAS2304280040101-5		/	1	0	
	Burning rate max		0			
Evaluation	Conforming					
Test Instruments	Equipment No.	Equipment Name		Calibrati	Calibration Due Date	
	MENV501	Flammability Chamber			N/A	
	MENV672	Steel ruler		_	2023-12-26	
	MENV896	Electronic stopwatch		202	2023-05-26	
	MENV758	Thermocouple thermometer		_	2023-09-26	
	MENV753	Anemometer		202	2023-07-31	
Observations & Rer None	marks					
Pictures Pictures						

IUS - CR.RH - 001 Page 2 of 3

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Jakarta 10330, Indonesia



TEST REPORT No: IDHG2210003015R1 Date: March 10, 2022 Page 1 of 3

PT. BERKAT UNGGUL PRATAMA KOMPLEK CITTA GRAHA, JL. PANJANG NO. 26 BLOK 2L, KEBON JERUK, JAKARTA BARAT

The following sample(s) was /were submitted and identified by the client as:

Sample Description : CSL Leather
Client's reference No. : 2210003015

Batch / Lot. No. : -

Manufacturer/Vendor : PT. BERKAT UNGGUL PRATAMA

Buyer's Name : -

Country of Origin : TAIWAN

Country of Destination : -

Sample Receiving Date : February 23, 2022

Test Performing Period : February 23, 2022 to March 09, 2022

Test Requested : Selected test (s) as requested by client.

Test Method(s) and Test Result(s) : Please refer to the next page(s).

Signed for and on behalf of PT. SGS Indonesia

Toto Waluyadi Hardgood Lab Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, or available on request or accessible at www.sgs.com/termsandconditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained 30 days only.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction.

The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



TEST REPORT No: IDHG2210003015R1 Date: March 10, 2022 Page 2 of 3

PT. BERKAT UNGGUL PRATAMA KOMPLEK CITTA GRAHA, JL. PANJANG NO. 26 BLOK 2L, KEBON JERUK, JAKARTA BARAT

TEST RESULT

Phthalates

Test Method: ISO 14389: 2014. Analysis was performed by GC-MS.

		Results
Test Item	CAS No.	(mg/kg)
		<u>1</u>
Dibutylphthalate (DBP)	84-74-2	n.d.
Benzylbutylphthalate (BBP)	85-68-7	n.d.
Bis-(2-ethylhexyl)phthalate (DEHP)	117-81-7	n.d.
Diisobutyl phthalate (DIBP)	84-69-5	n.d.
Di-C6-8 branched alkylphthalate (DIHP)	71888-89-6	n.d.
Bis (2-methoxyethyl) phthalate (DMEP)	117-82-8	n.d.
Diisopentylphthalate (DiPP)	605-50-5	n.d.
Di-n-pentylphthalate (DnPP)	131-18-0	n.d.
Di-n-Hexylphthalate (DnHP)	84-75-3	n.d.
Sum of all phthalates		n.d.
Conclusion		PASS

Note: n.d. = not detected

* = exceed the limit

Reporting Limit = 50 mg/kg (each)

Recommended Max. limit: 1000 mg/kg (Each or Sum)

Remark: Recommended Max. Limit specified by Entry 72 of Regulation (EC) No 1513/2018

amending Annex XVII of REACH Regulation (EC) No 1907/2006.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, or available on request or accessible at <a href="https://www.sgs.com/terms.er/educuments.er/educuments.er/educume

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained 30 days only.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction.

The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



TEST REPORT No: IDHG2210003015R1 Date: March 10, 2022 Page 3 of 3

PT. BERKAT UNGGUL PRATAMA KOMPLEK CITTA GRAHA, JL. PANJANG NO. 26 BLOK 2L, KEBON JERUK, JAKARTA BARAT

Sample Picture



********End of Report*******

This document is issued by the Company subject to its General Conditions of Service printed overleaf, or available on request or accessible at <a href="https://www.sgs.com/terms.er/educuments.er/educuments.er/educume

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained 30 days only.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction.

The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



THE LEATHER SPECIALIST

CARA PERAWATAN BAHAN KULIT SINTETIK







Gunakan lap basah (lembab) berbahan lembut untuk membersihkan permukaan bahan



Gosok permukaan bahan secara perlahan



Jika terkena noda dengan bahan pewarna yang cukup pekat, usahakan untuk membersihkan bagian tersebut dengan lap basah sesegera mungkin



Apabila ada noda yang masih tertinggal, gunakan pembersih khusus kulit sintetik untuk membantu menghilangkan noda tersebut



Simpan bahan dengan cara digulung untuk menghindari bahan kusut atau lecek



Jangan gunakan bahan yang kasar / tajam (seperti sikat) untuk membersihkan permukaan kulit



Jangan gunakan produk pembersih kimia keras yang dapat merusak permukaan kulit seperti : pemutih, deterjen, thinner, dll



Tidak menyimpan bahan dengan cara dilipat ataupun ditekan dengan barang yang berbeban berat untuk menghindari terjadinya garis lipatan pada bahan



Gulungan roll jangan diletakkan di posisi berdiri/vertikal. Gulungan harus diletakkan secara horisontal di bidang datar.



Hindari menyimpan bahan kulit di tempat yang terkena sinar matahari langsung atau bersuhu lembab.

Catatan:

Tinta pulpen, spidol permanen, bahan jeans dan bahan berwarna kuat lainnya kemungkinan besar akan sulit atau tidak bisa dibersihkan secara sempurna, terutama pada bahan kulit berwarna terang

