NAPOLY





C-2301



C-2302

C-2305



C-2303





C-2306



Thickness	:	1.10 mm
Width	:	137 cm
Abrasion	:	35.000 rubs
Special Surface Finish	:	Glossy
Composition		PU & Knitted Polyester
Usage	:	Indoor Upholstery
Repeat	:	No

PERFORMANCE

Flammability	: CA-117
Phthalate Free	: REACH

* Colors shown are indicative references only and will vary dependent on screen resolution



HEAD OFFICE : PT. BERKAT UNGGUL PRATAMA Komplek Citta Graha, Jl. Panjang No. 26 Blok 2L | Jakarta 11520 - Indonesia | +62 21 5819089

SHOWROOM : LEDER HAUS

JAKARTA • Komplek Cipete Square, Jl. Cipete Raya 55 No.7 | Jakarta 12410 - Indonesia | +62 21 75900 679 BANDUNG • Komplek Batununggal Indah, Jl. Batununggal Indah Raya No. 415 | Bandung 40266 - Indonesia | +62 22 8730 7759 BALI • Komplek Istana Kuta Galeria, Jl. Patih Jelantik, Blok PM1 No.6 | Kuta, Badung, Bali 80361 - Indonesia | +62361 4752 806



C-2304





PATTERN ILLUSTRATION



137 cm

APPLICATIONS



Dining Chair

Office Chair

Sofa

intertek

Total Quality. Assured.

ORIGINAL

Test Report

Report Number: JKTH23001290

Applicant : PT Berkat Unggul Pratama Date : May 11, 2023 Komplek Citta Graha JI Panjang No 26 Blok 2L Kedoya Selatan Kebon Jeruk Jakarta Barat Attn : Endang Sample description: One (1) group of submitted sample said to be : Material Name CSL Country of Original Taiwan Buyers Company Name PT Berkat Unggul Pratama Date sample received Apr 18, 2023 Testing period Apr 18, 2023 to May 11, 2023 ******* Test conducted: As requested by the applicant, for details please refer to attached pages. ********* ******* ****** ***** Conclusion: Section No. Test Name Evaluation 230428004-MT-1-EN.001 Flammability Conforming ***** **Remark:** Test subcontracted to Intertek China Prepared and checked by: For Intertek Indonesia Made Widyani **Operation Manager - Testing**

IUS - CR.RH - 001

Page 1 of 3

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

PT. Intertek Utama Services Citrabuana Indoloka Building Jl. Cikini IV No.2, Gondangdia Jakarta 10330, Indonesia

For the complete term and condition, please visit : http://www.intertek.com/terms/ Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345 Hardline Laboratory:Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325 Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Report Number: JKTH23001290

TEST ITEMS, METHOD AND RESULTS:

Ref. Specs Section FMVSS 302-2021 Date Tested 2023-05-06~2023-05-07 Sample No. IAS2304280040101-1°IAS2304280040101-5 Test Method Sample Preparation Methods: specimens made by customer; Sample Handing: Temperature 21°C; Relative humidity5045%. The test was performed in accordance with FMVSS 302-2021. Specimens size 356×100×1.2mm,No wires Gas flame height: 38mm. Duration for exposure to the flame: 15s. Acceptance <102mm/min	230428004-MT-1- EN.001	Flammability					
Sample No. IAS2304280040101-1~(IAS2304280040101-5 Test Method Sample Preparation Methods: specimens made by customer; Sample Handing: Temperature 23±2°C; Relative humidity50±5%. The test was performed in accordance with FMVSS 302-2021. Specimens size 356×100×1.2mm, No wires Gas flame height: 38mm. Duration for exposure to the flame: 15s. Acceptance Criteria \$102mm/min Deviation None Test Results Sample ID Burn Length (mm) Burn Time (s) IAS2304280040101-1 / IAS2304280040101-2 / IAS2304280040101-3 / IAS2304280040101-3 / IAS2304280040101-4 / IAS2304280040101-5 / IAS2304280040101-5 <th>Ref. Specs Section</th> <th>FMVSS 302-2021</th> <th></th> <th></th> <th></th> <th></th> <th></th>	Ref. Specs Section	FMVSS 302-2021					
Test Method Sample Preparation Methods: specimens made by customer; Sample Handing: Temperature 21°C; Relative humidity50%; Time 24h; Test environment: Temperature 23±2°C; Relative humidity50±5%. The test was performed in accordance with FMVSS 302-2021. Specimens size 356×100×1.2mm,No wires Gas flame height: 38mm. Duration for exposure to the flame: 15s. Acceptance Criteria \$102mm/min Deviation None Test Results Sample ID Burn Length (mm/min) Burn Rate (mm/min) IAS2304280040101-1 / / 0 IAS2304280040101-2 / 0 0 IAS2304280040101-3 / 0 0 IAS2304280040101-3 / 0 0 Evaluation Conforming 0 Equipment Name Calibration Due Date Test Instruments Equipment No. Equipment Name Calibration Due Date MENV501 Flammability Chamber N/A MENV572 Steel ruler 2023-05-26 MENV758 Thermocouple thermometer 2023-07-31 Observations & Remarks None Anemometer 2023-07-31	Date Tested	2023-05-06~2023	-05-07				
Sample Handing: Temperature 21°C ; Relative humidity50% ; Time 24h ; Test environment: Temperature 23±2°C ; Relative humidity50±5% . The test was performed in accordance with FMVSS 302-2021. Specimens size 356×100×1.2mm,No wires Gas flame height: 38mm. Duration for exposure to the flame: 15s. Acceptance Criteria <102mm/min Deviation None Test Results Sample ID Burn Length (mm) Burn Rate (mm/min) IAS2304280040101-1 / / 0 IAS2304280040101-2 / / 0 IAS2304280040101-3 / / 0 IAS2304280040101-3 / / 0 IAS2304280040101-3 / / 0 IAS2304280040101-5 / / 0 IAS2304280040101-5 / / 0 Evaluation Conforming Conforming Conforming Test Instruments Equipment No. Equipment Name Calibration Due Date MENV501 Flammability Chamber N/A MENV672 Steel ruler 2023-12-26 MENV503 Thermocouple thermometer 2023-05-26 MENV753 Anemometer 2023-07-31 Observations & Remarks None Listerest	Sample No.	IAS230428004010)1-1~IAS23042800401	01-5			
Criteria Superior Deviation None Test Results Sample ID Burn Length (mm) Burn Time (s) Burn Rate (mm/min) IAS2304280040101-1 / / 0 IAS2304280040101-2 / / 0 IAS2304280040101-3 / / 0 IAS2304280040101-3 / / 0 IAS2304280040101-3 / / 0 IAS2304280040101-5 / / 0 IAS2304280040101-5 / 0 0 IAS2304280040101-5 / 0 0 IAS2304280040101-5 / 0 0 Burning rate max 0 0 0 Evaluation Conforming Calibration Due Date MENV501 Flammability Chamber N/A MENV572 Steel ruler 2023-05-26 MENV758 Thermocouple thermometer 2023-07-31 Observations & Remarks None 2023-07-31	Test Method	Sample Handing: Temperature 21°C ; Relative humidity50% ; Time 24h ; Test environment: Temperature 23±2°C ; Relative humidity50±5% . The test was performed in accordance with FMVSS 302-2021. Specimens size 356×100×1.2mm,No wires Gas flame height: 38mm.					
Test Results Sample ID Burn Length (mm) Burn Time (s) Burn Rate (mm/min) IAS2304280040101-1 / / 0 IAS2304280040101-2 / / 0 IAS2304280040101-3 / / 0 IAS2304280040101-3 / / 0 IAS2304280040101-4 / / 0 IAS2304280040101-5 / / 0 IAS2304280040101-5 / / 0 IAS2304280040101-5 / / 0 Burning rate max 0 0 0 Evaluation Conforming Calibration Due Date MENV501 MENV501 Flammability Chamber N/A MENV672 MENV672 Steel ruler 2023-05-26 MENV758 MENV758 Thermocouple thermometer 2023-07-31 Observations & Remarks None 2023-07-31	1.5	≤102mm/min					
Sample ID (mm) (s) (mm/min) IAS2304280040101-1 / / 0 IAS2304280040101-2 / / 0 IAS2304280040101-3 / / 0 IAS2304280040101-3 / / 0 IAS2304280040101-3 / / 0 IAS2304280040101-4 / / 0 IAS2304280040101-5 / / 0 IAS2304280040101-5 / / 0 IAS2304280040101-5 / / 0 Burning rate max 0 0 0 Burning rate max 0 0 0 RENV501 Flammability Chamber N/A MENV502 Steel ruler 2023-12-26 MENV672 Steel ruler 2023-05-26 MENV758 Thermocouple thermometer 2023-07-31 Observations & Remarks None 2023-07-31	Deviation	None					
IAS2304280040101-2 / / 0 IAS2304280040101-3 / 0 0 IAS2304280040101-4 / 0 0 IAS2304280040101-5 / 0 0 IAS2304280040101-5 / / 0 IAS2304280040101-5 / 0 0 Burning rate max 0 0 0 Evaluation Conforming 0 0 Test Instruments Equipment No. Equipment Name Calibration Due Date MENV501 Flammability Chamber N/A MENV672 Steel ruler 2023-12-26 MENV758 Thermocouple thermometer 2023-05-26 MENV758 Thermocouple thermometer 2023-09-26 MENV753 Anemometer 2023-07-31 Observations & Remarks None 2023-07-31	Test Results	Sample ID					
IAS2304280040101-3 / / 0 IAS2304280040101-4 / / 0 IAS2304280040101-5 / / 0 IAS2304280040101-5 / / 0 Burning rate max 0 0 Evaluation Conforming 0 Test Instruments Equipment No. Equipment Name Calibration Due Date MENV501 Flammability Chamber N/A MENV672 Steel ruler 2023-12-26 MENV758 Thermocouple thermometer 2023-05-26 MENV758 Thermocouple thermometer 2023-07-31 Observations & Remarks None 2023-07-31							
IAS2304280040101-4 / / 0 IAS2304280040101-5 / / 0 IAS2304280040101-5 / / 0 Burning rate max 0 0 0 Evaluation Conforming 0 0 0 Test Instruments Equipment No. Equipment Name Calibration Due Date MENV501 Flammability Chamber N/A MENV672 Steel ruler 2023-12-26 MENV896 Electronic stopwatch 2023-05-26 MENV758 Thermocouple thermometer 2023-09-26 MENV753 Anemometer 2023-07-31 Observations & Remarks None None None]	IAS2304280040101-2 / / 0					
IAS2304280040101-5 / / 0 Burning rate max 0		IAS2304280040101-3 / / 0					
Burning rate max0EvaluationConformingTest InstrumentsEquipment No.Equipment NameCalibration Due DateMENV501Flammability ChamberN/AMENV672Steel ruler2023-12-26MENV896Electronic stopwatch2023-05-26MENV758Thermocouple thermometer2023-09-26MENV753Anemometer2023-07-31Observations & RemarksNone		IAS2304280040101-4 / / 0					
EvaluationConformingTest InstrumentsEquipment No.Equipment NameCalibration Due DateMENV501Flammability ChamberN/AMENV672Steel ruler2023-12-26MENV896Electronic stopwatch2023-05-26MENV758Thermocouple thermometer2023-09-26MENV753Anemometer2023-07-31Observations & RemarksNone		IAS2304280040101-5 / / 0					
Test InstrumentsEquipment No.Equipment NameCalibration Due DateMENV501Flammability ChamberN/AMENV672Steel ruler2023-12-26MENV896Electronic stopwatch2023-05-26MENV758Thermocouple thermometer2023-09-26MENV753Anemometer2023-07-31Observations & RemarksNone		Burning rate max 0					
MENV501 Flammability Chamber N/A MENV672 Steel ruler 2023-12-26 MENV896 Electronic stopwatch 2023-05-26 MENV758 Thermocouple thermometer 2023-09-26 MENV753 Anemometer 2023-07-31	Evaluation	Conforming					
MENV672Steel ruler2023-12-26MENV896Electronic stopwatch2023-05-26MENV758Thermocouple thermometer2023-09-26MENV753Anemometer2023-07-31Observations & RemarksNone	Test Instruments						
MENV896Electronic stopwatch2023-05-26MENV758Thermocouple thermometer2023-09-26MENV753Anemometer2023-07-31Observations & RemarksNone							
MENV758 Thermocouple thermometer 2023-09-26 MENV753 Anemometer 2023-07-31 Observations & Remarks None							
MENV753 Anemometer 2023-07-31 Observations & Remarks None							
None							
Pictures	2	harks					

IUS - CR.RH - 001

Page 2 of 3

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.


PT. Intertek Utama Services

Citrabuana Indoloka Building Jl. Cikini IV No.2, Gondangdia Jakarta 10330, Indonesia

For the complete term and condition, please visit : http://www.intertek.com/terms/ Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345 Hardline Laboratory:Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325 Email : <u>hlcoordinator.indonesia@intertek.com</u> Website: <u>www.intertek.com</u>



Report Number: JKTH23001290



END OF THE TEST REPORT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <u>http://www.intertek.com/terms</u>

IUS - CR.RH - 001

Page 3 of 3

This report shall not be reproduced wholly or in parts without written approval of the laboratory

For the complete term and condition, please visit : http://www.intertek.com/terms/

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

PT. Intertek Utama Services

Jakarta 10330, Indonesia

Citrabuana Indoloka Building Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345 Jl. Cikini IV No.2, Gondangdia Hardline Laboratory:Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325 Email : <u>hlcoordinator.indonesia@intertek.com</u> Website: <u>www.intertek.com</u>



TEST REPORT No: IDHG2210003012R1

Date: March 10, 2022

Page 1 of 3

PT. BERKAT UNGGUL PRATAMA **KOMPLEK CITTA GRAHA,** JL. PANJANG NO. 26 BLOK 2L, KEBON JERUK, JAKARTA BARAT

The following sample(s) was /were submitted and identified by the client as:

Sample Description	:	CSL Leather
Client's reference No.	33	2210003012
Batch / Lot. No.	:	
Manufacturer/Vendor	- 1	PT. BERKAT UNGGUL PRATAMA
Buyer's Name	3	Summer State State State
Country of Origin	1	TAIWAN
Country of Destination	3	
Sample Receiving Date	:	February 23, 2022
Test Performing Period	- 1	February 23, 2022 to March 09, 2022
Test Requested	:	Selected test (s) as requested by client.
Test Method(s) and Test Result(s)	4	Please refer to the next page(s).



Toto Waluyadi Hardgood Lab Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, or available on request or accessible at <u>www.sqs.com/termsandconditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the dontent or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested *and such sample(s) are retained 30 days only.* WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction.

direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin

PT SGS Indonesia The Garden Centre #1-00 & #2-00 - Cilandak Commercial Estate JI. Raya Cilandak KKO Jakarta 12560 Indonesia 1+62 (0)21 2978 0600 1+62 (0)21 2978 0678 www.sgs.com



TEST REPORT No: IDHG2210003012R1 Date: March 10, 2022

Page 2 of 3

PT. BERKAT UNGGUL PRATAMA KOMPLEK CITTA GRAHA, JL. PANJANG NO. 26 BLOK 2L, KEBON JERUK, JAKARTA BARAT

TEST RESULT

Phthalates

Test Method: ISO 14389: 2014. Analysis was performed by GC-MS.

Test Item	CAS No.	Results (mg/kg) 1		
Dibutylphthalate (DBP)	84-74-2	n.d.		
Benzylbutylphthalate (BBP)	85-68-7	n.d.		
Bis-(2-ethylhexyl)phthalate (DEHP)	117-81-7	n.d.		
Diisobutyl phthalate (DIBP)	84-69-5	n.d.		
Di-C6-8 branched alkylphthalate (DIHP)	71888-89-6	n.d.		
Bis (2-methoxyethyl) phthalate (DMEP)	117-82-8	n.d.		
Diisopentylphthalate (DiPP)	605-50-5	n.d.		
Di-n-pentylphthalate (DnPP)	131-18-0	n.d.		
Di-n-Hexylphthalate (DnHP)	84-75-3	n.d.		
Sum of all phthalates		n.d.		
Conclusion	PASS			

Note: n.d. = not detected = exceed the limit Reporting Limit = 50 mg/kg (each) Recommended Max. limit: 1000 mg/kg (Each or Sum)

Recommended Max. limit specified by Entry 72 of Regulation (EC) No 1513/2018 Remark: amending Annex XVII of REACH Regulation (EC) No 1907/2006.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, or available on request or accessible at <u>www.sqs.com/termsandconditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested *and such sample(s)* are retained 30 days only. WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction.

The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

PT. SGS Indonesia The Garden Centre #1-00 & #2-00 - Cilandak Commercial Estate JJ. Raya Cilandak KKO Jakarta 12560 Indonesia t+62 (0)21 2978 0600 t+62 (0)21 2978 0678 www.sgs.com



TEST REPORT No: IDHG2210003012R1 Date: March 10, 2022

Page 3 of 3

PT. BERKAT UNGGUL PRATAMA KOMPLEK CITTA GRAHA, JL. PANJANG NO. 26 BLOK 2L, KEBON JERUK, JAKARTA BARAT

Sample Picture



HG2210003012

*********End of Report*********

This document is issued by the Company subject to its General Conditions of Service printed overleaf, or available on request or accessible at <u>www.sqs.com/termsandconditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested *and such sample(s)* are *retained 30 days only*. WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction.

direction

The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

PT. SGS Indonesia The Garden Centre #1-00 & #2-00 - Cilandak Commercial Estate JI. Raya Cilandak KKO Jakarta 12560 Indonesia t+62 (0)21 2978 0600 f+62 (0)21 2978 0678 www.sgs.com

Member of the SGS Group



CARA PERAWATAN BAHAN KULIT SINTETIK



X DONT'S Apa yang **TIDAK BOLEH** dilakukan



Gunakan lap basah (lembab) berbahan lembut untuk membersihkan permukaan bahan



Gosok permukaan bahan secara perlahan



Jika terkena noda dengan bahan pewarna yang cukup pekat, usahakan untuk membersihkan bagian tersebut dengan lap basah sesegera mungkin



Apabila ada noda yang masih tertinggal, gunakan pembersih khusus kulit sintetik untuk membantu menghilangkan noda tersebut



Simpan bahan dengan cara digulung untuk menghindari bahan kusut atau lecek



Jangan gunakan bahan yang kasar / tajam (seperti sikat) untuk membersihkan permukaan kulit



Jangan gunakan produk pembersih kimia keras yang dapat merusak permukaan kulit seperti : pemutih, deterjen, thinner, dll



Tidak menyimpan bahan dengan cara dilipat ataupun ditekan dengan barang yang berbeban berat untuk menghindari terjadinya garis lipatan pada bahan



Gulungan roll jangan diletakkan di posisi berdiri/vertikal. Gulungan harus diletakkan secara horisontal di bidang datar.



Hindari menyimpan bahan kulit di tempat yang terkena sinar matahari langsung atau bersuhu lembab.

Catatan:

Tinta pulpen, spidol permanen, bahan jeans dan bahan berwarna kuat lainnya kemungkinan besar akan sulit atau tidak bisa dibersihkan secara sempurna, terutama pada bahan kulit berwarna terang

