Sofia





^{*} Colors shown are indicative references only and will vary dependent on screen resolution



HEAD OFFICE: PT. BERKAT UNGGUL PRATAMA

Komplek Citta Graha, Jl. Panjang No. 26 Blok 2L | Jakarta 11520 - Indonesia | +62 21 5819089


SHOWROOM: LEDER HAUS

JAKARTA • Komplek Cipete Square, Jl. Cipete Raya 55 No.7 | Jakarta 12410 - Indonesia | +62 21 75900 679

BANDUNG • Komplek Batununggal Indah, Jl. Batununggal Indah Raya No. 415 | Bandung 40266 - Indonesia | +62 22 8730 7759

BALI • Komplek Istana Kuta Galeria, Jl. Patih Jelantik, Blok PM1 No.6 | Kuta, Badung, Bali 80361 - Indonesia | +62361 4752 806

PATTERN ILLUSTRATION



APPLICATIONS



©2024 Leder Haus. All Rights Reserved.



DESCRIPTION

Choice of dark and light colors in nappa leather texture that symbolizes maturity and wisdom personality of the inhabitants. Elegant, memorable and attuned glossiness, it is just the right upholstery to elevate the ordinary to the high-end world.

SPECIFICATIONS

Thickness	1.20 mm
Width	137 cm
Special Surface Finish	Metallic
Composition	PVC & Woven Polyester
Usage	Indoor Upholstery
Repeat	No

PERFORMANCE

Abrasion	53.000 rubs
Flammability	FMVSS-302 & CA-117
Anti Microbial	AATCC-147

ENVIRONMENTAL SUSTAINABILITY

Phthalate Free	REACH
AZO Dye Free	ISO 14362-1
Formaldehyde Free	ISO 14184-1
Hexavalent Chromium Free	ISO 17075-1

Abrasion	ASTM - D4966	53.000 rubs
Tensile Strength	ASTM - 2209	Warp: 12.42 kg/3 cm, Weft: 17.66 kg/3 cm
Elongation	ASTM - 2209	Warp: 19%, Weft: 39%
Tear Strength	ASTM - 2261	Warp: 3.45 kg, Weft: 3.05 kg
Adhesion Strength	ASTM - D751	Warp: 3.61 kg/3 cm, Weft: 3.23 kg/3 cm
Flexibility Strength	ASTM - D6182	Warp: 10.000 Times/Grade 5, Weft: 10.000 Times/Grade 5
Bursting Strength	ASTM - D3786	9.2 kg/cm ²
Blocking Test	ASTM - D751	Grade 5
Color Fastness Test (Rubbing Test)	AATCC 8	Dry: Grade 5, Wet: Grade 5

^{*} The above tests mentioned are guidelines for synthetic leather used in upholstery but do not necessarily indicate its lifespan. When used in different applications, factors such as the quality of craftsmanship, cleaning methods, proper placement, and handling will all impact its durability.



HEAD OFFICE: PT. BERKAT UNGGUL PRATAMA

Komplek Citta Graha, Jl. Panjang No. 26 Blok 2L | Jakarta 11520 - Indonesia | +62 21 5819089

SHOWROOM: LEDER HAUS

JAKARTA • Komplek Cipete Square, Jl. Cipete Raya 55 No.7 | Jakarta 12410 - Indonesia | +62 21 75900 679

BANDUNG • Komplek Batununggal Indah, Jl. Batununggal Indah Raya No. 415 | Bandung 40266 - Indonesia | +62 22 8730 7759



THE LEATHER SPECIALIST

HOW TO CARE FOR SYNTHETIC LEATHER







Use a soft, damp cloth to clean the surface of the material



Rub the surface slowly with intense



If it is stained with a fairly intense dye, try to clean the area with a damp cloth as soon as possible



If there are stains that are still left behind, use a special cleaner for synthetic leather to help remove the stains



Do not use rough/sharp materials (such as a brush) to clean the surface



Do not use harsh (chemical) cleaning products such as: bleach, detergent, thinner, and others

Note:

Ink, permanent marker, denim and other strong textile dyes may be difficult or cannot to remove perfectly, especially on light colored synthetic leather





Number : TWNC01344954

Date Issued : Mar 14, 2025

Applicant: PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA

JL. PANJANG NO. 26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

ATTN: ENDANG MAWARNI S

Sample Description:

One (1) group of submitted samples said to be:

Sample Description : CSL - SYNTHETIC LEATHER

Order/Style No. : ALL STYLE

Buyers Company Name : PT BERKAT UNGGUL PRATAMA

Country of Destination : All Country Country of Origin : Taiwan

Testing Stage : Production Sample
Date Sample Received : Mar 04, 2025
Date Test Started : Mar 04, 2025

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Authorized By:

On behalf of Intertek Testing Services

Taiwan Limited

Anna Jing

Assistant General Manager

Signed by:

Thomas Chou Manager

homas Chou

Page 1 of 3







Test Conducted:

Number: TWNC01344954

1. **Antibacterial Activity Test**

As per AATCC TM147-2011(2016)e

Test Organism : Staphylococcus aureus (ATCC 6538)

Klebsiella pneumoniae (ATCC 4352)

Sterilization Of Sample Before Test : No Sterilization

: 37±2℃ Incubation Temperature **Incubation Period** : 18 - 24 Hours Agar Medium : Nutrient Agar **Tested Sample Size** : 25×50mm

Result:

Test Organism	<u>Test Side</u>	<u>Result</u>
Staphylococcus aureus (ATCC 6538)	Green side	Inhibition of growth beneath the specimen only. (Without clear zone)
Klebsiella pneumoniae (ATCC 4352)	Green side	Inhibition of growth beneath the specimen only. (Without clear zone)

Remark: Clear zone = Clear area of no growth of a microorganism

As per applicant's provide Reference Rating					
Result Anti-Bacterial Activity					
Growth of test miroorganism was observed directly underneath the tested specimen	Not Acceptable				
No growth of test miroorganism was observed directly underneath the tested specimen	Acceptable				

Comment:

Staphylococcus aureus (ATCC 6538)	Acceptable
Klebsiella pneumoniae (ATCC 4352)	Acceptable

Page 2 of 3







Number: TWNC01344954



End of Report

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek-twn.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

Reporting Statements of Conformity: Please note that the test results contain statement of conformity with the decision rules which are based on the specifications of customers, regulations and standards, and does not consider measurement uncertainty.









Test Report No.: HTH25300014 DATE: 2025/03/11 PAGE: 1 of 3

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

Sample Description : CSL-SYNTHETIC LEATHER

Style/Item No. : ALL STYLE

Sample Receiving Date : 2025/03/05

Testing Period : 2025/03/05 to 2025/03/11

Test Requested: The test was specified by client, please refer to the result table(s) for details.

Test Result(s) : Please refer to next page(s).

Singh Hsiao / Asst. Mana ge SGS
Signed for and on behalf
SGS TAIWAN LTD.

Chemical Laboratory - Taipei

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886 (02)2299 3939 f+886 (02)2299 3237 No. 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report No.: HTH25300014 DATE: 2025/03/11 PAGE: 2 of 3

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

Test Part Description

No.1 : Green synthetic leather with gray fabric backing

Test Result(s)

Took Hom/o	Mathad	Unit D	DI.	Result
Test Item(s)	Method	Unit	Unit RL	
Dibutyl phthalate (DBP) (CAS No.84-74-2)		mg/kg	30	n.d.
Butyl benzyl phthalate (BBP) (CAS No.85-68-7)		mg/kg	30	n.d.
Bis(2-ethylhexyl) phthalate (DEHP) (CAS No.117-81-7)	1	mg/kg	30	n.d.
Diisobutyl phthalate (DIBP) (CAS No.84-69-5)		mg/kg	30	n.d.
1,2-Benzenedicarboxylic acid, di-C6- 8-branched alkyl esters, C7-rich (DIHP) (CAS No.71888-89-6)	With reference to ISO 14389:2022. Analysis was performed by GC-MS.	mg/kg	30	n.d.
Diisopentyl phthalate (DIPP) (CAS No.605-50-5)		mg/kg	30	n.d.
Di-n-hexyl phthalate (DNHP) (CAS No.84-75-3)		mg/kg	30	n.d.
Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.117-82-8)		mg/kg	30	n.d.
Di-n-pentyl phthalate (DNPP) (CAS No.131-18-0)	Method: With reference to ISO 14389 method. Analysis was performed by GC/MS.	mg/kg	30	n.d.

Note:

- 1. mg/kg = ppm; 0.1% = 1000 ppm
- 2. RL = Reporting Limit
- 3. n.d. = Not Detected = Less than RL
- 4. The testing item(s) was/were subcontracted to SGS Taiwan Ltd. Chemical Laboratory Kaohsiung.
- The report is invalid if it is partly reproduced or used.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: HTH25300014

DATE: 2025/03/11

PAGE: 3 of 3

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

* The tested sample / part is marked by an arrow if it's shown on the photo. *

HTH25300014



Appearance of the sample-Front view

HTH25300014



Appearance of the sample-Back view

** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886 (02)2299 3939 f+886 (02)2299 3237 No. 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan





Applicant: PT Berkat Unggul Pratama

Komplek Citta Graha Jl Panjang No 26 Blok 2L Kedoya Selatan Kebon Jeruk

Jakarta Barat

Attn: Endang

Sample description:

One (1) group of submitted sample said to be :

Material Name : CSL Country of Original : Taiwan

Buyers Company Name : PT Berkat Unggul Pratama

Date sample received : Apr 18, 2023

Testing period : Apr 18, 2023 to May 11, 2023

Test conducted:

As requested by the applicant, for details please refer to attached pages.

Conclusion:

Section No.	Test Name	Evaluation	
230428004-MT-1-EN.001	Flammability	Conforming	

.....

Remark:

Test subcontracted to Intertek China

Prepared and checked by: For Intertek Indonesia



Made Widyani Operation Manager - Testing Report Number: JKTH23001290

May 11, 2023

Date :



Test Report Report Number: JKTH23001290

TEST ITEMS, METHOD AND RESULTS:

230428004-MT-1- EN.001	Flammability					
Ref. Specs Section	FMVSS 302-2021	FMVSS 302-2021				
Date Tested	2023-05-06~2023-0)5-07				
Sample No.	IAS2304280040101	-1~IAS2304280040	101-5			
Test Method	Sample Handing: Te Test environment: The test was perfor Specimens size 356 Gas flame height: 3	Sample Preparation Methods: specimens made by customer; Sample Handing: Temperature 21°C; Relative humidity50%; Time 24h; Test environment: Temperature 23±2°C; Relative humidity50±5%. The test was performed in accordance with FMVSS 302-2021. Specimens size 356×100×1.2mm,No wires Gas flame height: 38mm. Duration for exposure to the flame: 15s.				
Acceptance Criteria	≤102mm/min	9				
Deviation	None					
Test Results	Sample ID		Burn Length (mm)	Burn Time (s)	Burn Rate (mm/min)	
	IAS2304280040101-1		/	1	0	
	IAS230428	IAS2304280040101-2		1	0	
	IAS230428	IAS2304280040101-3		j	0	
	IAS230428	30040101-4	1	/	0	
	IAS230428	30040101-5	1) /	0	
	Burning	rate max		0	L	
Evaluation	Conforming					
Test Instruments	Equipment No.	Equipm	ent Name	Calibrati	on Due Date	
	MENV501		lity Chamber		N/A	
	MENV672		el ruler		3-12-26	
	MENV896		c stopwatch		3-05-26	
	MENV758		le thermometer		3-09-26	
	MENV753	Anen	nometer	202	3-07-31	
Observations & Rer None	<u>narks</u>					
Pictures						

IUS - CR.RH - 001 Page 2 of 3

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions. For the complete term and condition, please visit: http://www.intertek.com/terms/


PT. Intertek Utama Services

Citrabuana Indoloka Building Jl. Cikini IV No.2, Gondangdia Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345 Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325 $\textbf{Email:} \underline{\textbf{hlcoordinator.indonesia@intertek.com}} \ \underline{\textbf{Website:}} \underline{\textbf{www.intertek.com}}$



Test Report Number: JKTH23001290



......

END OF THE TEST REPORT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for whichit is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms

IUS – CR.RH – 001 Page 3 of 3



TEST REPORT

Report No.: HU30003/2025 Page: of

Date: MAR. 12, 2025

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

The following merchandise was submitted and identified by the applicant as:

CSL-SYNTHETIC LEATHER **Product Description:**

Style/Item No.: ALL STYLE

We have tested the submitted sample(s) as requested and the following results were obtained:

For compliance with Federal Motor Vehicle Safety Standard No.302 Test Requested:

Flammability of interior materials (49 CFR 571.302).

Test Result: ---See following sheet(s)---

Date of Receipt: Mar. 04, 2025

Mar. 04, 2025 Testing Period: Mar. 12, 2025

> Signed for and on bet SGS Taiwan Ltd.

Asst. Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at 11 documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested

新北市五股區(新北產業園區)五工路 127 號

+886 (02) 2299-3279 f+886 (02) 2299-2920

No.127, WuKung Road, (New Taipei Industrial Park) Wuku District, New Taipei City, Taiwan



TEST REPORT

Report No.: HU30003/2025

Page: 2 of 2

Test Result:

For compliance with Federal Motor Vehicles Safety Standard No.302 Flammability of interior materials

Pass

		Filling			Warp	
	Char Length	After Flame	Burn Rate	Char Length	After Flame	Burn Rate
	(mm)	(sec.)	(mm/min)	(mm)	(sec.)	(mm/min)
1.	0	0	SE	0	0	SE
2.	0	0	SE	0	0	SE
3.	0	0	SE	0	0	SE

Note: SE = Self - Extinguish. The material ignites but extinguishes itself before reaching the 38 mm

point from the clamped start of the specimen.

<u>Test Requirement:</u> The burn rate shall not exceed 102 mm per minute.

<u>Conclusion:</u> The submitted sample(s) <u>complies with</u> the requirements of Federal Motor

Vehicle Safety Standard No. 302 Flammability of interior materials (49 CFR


571.302).

Remark:

1. The content of this report is invalid if it is not presented as the entire report.

2. The decision rule of the statements of conformity is following the ILAC G8:09/2019 by using the simple acceptance decision rule.

- Picture(s) -



--- End of Report ---

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區(新北產業園區)五工路 127 號

+886 (02) 2299-3279 f+886 (02) 2299-2920



No.: HTH25800063 DATE: 2025/08/28 PAGE: 1 of 5

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

The following sample(s) was/were submitted and identified by/on behalf of the applicant as :

Sample Description : CSL LEATHER
Style/Item No. : ALL STYLE

Sample Receiving Date : 2025/08/19

Testing Period : 2025/08/19 to 2025/08/28

Test Requested :

The test was specified by client, please refer to the result table(s) for details.

Test Result(s) : Please refer to next page(s).

Singh Hsiao / Asst. Manage SGS
Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gs.com.bw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com.bw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and pursdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: HTH25800063 DATE: 2025/08/28 PAGE: 2 of 5

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

Test Part Description

No.1 : Beige synthetic leather with light orange fabric backing

Test Result(s)

Tour Memores	Marketer	Unit	D.	Result
Test Item(s)	Test Item(s) Method		RL	No.1
Azo dyes (Color extraction)				
4-Aminobiphenyl (CAS No.92-67-1) (♦3)		mg/kg	3	n.d.
Benzidine (CAS No.92-87-5)	1	mg/kg	3	n.d.
4-Chloro-o-toluidine (CAS No.95-69-2)		mg/kg	3	n.d.
2-Naphthylamine (CAS No.91-59-8) (�3)		mg/kg	3	n.d.
o-Aminoazotoluene (CAS No.97-56-3) (♦1)	1	mg/kg	3	n.d.
5-Nitro-o-toluidine (CAS No.99-55-8) (♦1)		mg/kg	3	n.d.
4-Chloroaniline (CAS No.106-47-8)	1	mg/kg	3	n.d.
2,4-Diaminoanisole (CAS No.615-05-4) (�3)	1	mg/kg	3	n.d.
4,4'-Diaminodiphenylmethane (CAS No.101-77-9) (♦4)		mg/kg	3	n.d.
3,3'-Dichlorobenzidine (CAS No.91-94-1)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.
3,3-Dimethoxybenzidine (CAS No.119-90-4)	2017. Analysis was performed by	mg/kg	3	n.d.
3,3'-Dimethylbenzidine (CAS No.119-93-7)	GC-MS and HPLC-DAD.	mg/kg	3	n.d.
4,4'-Methylenedi-o-toluidine (CAS No.838-88-0)		mg/kg	3	n.d.
6-Methoxy-m-toluidine (CAS No.120-71-8)	1	mg/kg	3	n.d.
4,4'-Methylene-bis-(2-chloro-Aniline) (CAS No.101-14-4)	1	mg/kg	3	n.d.
4,4'-Oxydianiline (CAS No.101-80-4)		mg/kg	3	n.d.
4,4'-Thiodianiline (CAS No.139-65-1)		mg/kg	3	n.d.
o-Toluidine (CAS No.95-53-4) (♦1)	1	mg/kg	3	n.d.
2,4-Toluylendiamine (TDA) (CAS No.95-80-7) (♦1) (♦4)		mg/kg	3	n.d.
2,4,5-Trimethylaniline (CAS No.137-17-7)		mg/kg	3	n.d.
o-Anisidine (CAS No.90-04-0)		mg/kg	3	n.d.
4-Aminoazobenzene(4-AAB) (CAS No.60-09-3) (\$2)	With reference to EN ISO 14362-3: 2017. Analysis was performed by GC-MS and HPLC-DAD.	mg/kg	3	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gs.com.bw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com.bw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: HTH25800063 DATE: 2025/08/28 PAGE: 3 of 5

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

Test Item(s)	Method	Unit	RL	Result
				No.1
Azo dyes (Direct reduction)				
4-Aminobiphenyl (CAS No.92-67-1) (♦3)		mg/kg	3	n.d.
Benzidine (CAS No.92-87-5)	1	mg/kg	3	n.d.
4-Chloro-o-toluidine (CAS No.95-69-2)	With reference to EN ISO 14362-1: 2017. Analysis was performed by GC-MS and HPLC-DAD.	mg/kg	3	n.d.
2-Naphthylamine (CAS No.91-59-8) (♦3)		mg/kg	3	n.d.
o-Aminoazotoluene (CAS No.97-56-3) (♦1)		mg/kg	3	n.d.
5-Nitro-o-toluidine (CAS No.99-55-8) (♦1)		mg/kg	3	n.d.
4-Chloroaniline (CAS No.106-47-8)		mg/kg	3	n.d.
2,4-Diaminoanisole (CAS No.615-05-4) (♦3)		mg/kg	3	n.d.
4,4'-Diaminodiphenylmethane (CAS No.101-77-9) (♦4)		mg/kg	3	n.d.
3,3'-Dichlorobenzidine (CAS No.91-94-1)		mg/kg	3	n.d.
3,3-Dimethoxybenzidine (CAS No.119-90-4)		mg/kg	3	n.d.
3,3'-Dimethylbenzidine (CAS No.119-93-7)		mg/kg	3	n.d.
4,4'-Methylenedi-o-toluidine (CAS No.838-88-0)		mg/kg	3	n.d.
6-Methoxy-m-toluidine (CAS No.120-71-8)		mg/kg	3	n.d.
4,4'-Methylene-bis-(2-chloro-Aniline) (CAS No.101-14-4)		mg/kg	3	n.d.
4,4'-Oxydianiline (CAS No.101-80-4)		mg/kg	3	n.d.
4,4'-Thiodianiline (CAS No.139-65-1)		mg/kg	3	n.d.
o-Toluidine (CAS No.95-53-4) (♦1)		mg/kg	3	n.d.
2,4-Toluylendiamine (TDA) (CAS No.95-80-7) (♦1) (♦4)		mg/kg	3	n.d.
2,4,5-Trimethylaniline (CAS No.137-17-7)		mg/kg	3	n.d.
o-Anisidine (CAS No.90-04-0)		mg/kg	3	n.d.
4-Aminoazobenzene(4-AAB) (CAS No.60-09-3) (*2)	With reference to EN ISO 14362-3: 2017. Analysis was performed by GC-MS and HPLC-DAD.	mg/kg	3	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.scs.com.bw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.scs.com.bw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: HTH25800063 DATE: 2025/08/28 PAGE: 4 of 5

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

Remark:

- (*1) o-Aminoazotoluene and 5-Nitro-o-toluidine will be further reduced. Resolved into o-Toluidine and 2,4-Toluylendiamine (TDA).
- (\$2) EN ISO 14362-1:2017 will enable further cleavage of 4-aminoazobenzene to non-forbidden amines: aniline and p-phenylenediamine. If aniline and/or p-phenylenediamine is not found, 4-aminoazobenzene is considered as "n.d." (i.e. <5.0 mg/kg). Otherwise, EN ISO 14362-3:2017 will be employed to verify the presence of 4aminoazobenzene.
- (♦3) 4-Aminodiphenyl, 2-Naphthylamine and 2,4-Diaminoanisole can be indirectly generated from some colorants which do not contain these amines azo bound. The use of banned azo colorants cannot be reliably ascertained without additional information.
- (\$4) In case PU is used, e.g. PU Foams or coatings, it cannot be ruled out that MDA (CAS No. 101-77-9) and TDA (CAS No. 95-80-7) can be released from PU material, not from banned azo colorant. Similarly, for pigment prints, MDA will be released from a chemical fixing agent.

Note:

- 1. mg/kg = ppm; 0.1% = 1000 ppm
- 2. RL = Reporting Limit
- 3. n.d. = Not Detected = Less than RL
- Colorant extraction refers to the colourant extraction and subsequent reduction according to EN ISO 14362-1:2017 clause 10.1 and relevant clauses.
- Direct reduction refers to the extraction and reduction according to EN ISO 14362-1:2017 clause 10.2 and relevant clauses.
- 6. The report is invalid if it is partly reproduced or used.
- 7. The testing item(s) was/were subcontracted to SGS Taiwan Ltd. Chemical Laboratory Kaohsiung.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gs.com.bw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com.bw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




No.: HTH25800063 DATE: 2025/08/28 PAGE: 5 of 5

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

* The tested sample / part is marked by an arrow if it's shown on the photo. *

HTH25800063



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gs.com.bw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com.bw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Number TWNC01388537

: Aug 20, 2025

Date Issued

PT BERKAT UNGGUL PRATAMA Applicant:

KOMPLEK CITTA GRAHA

JL. PANJANG NO. 26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

ATTN: ENDANG MAWARNI S

Sample Description:

One (1) piece of submitted sample said to be :

Item Name : CSL SYNTHETIC LEATHER

Item No. : ALL STYLE : 1 Piece Quantity Date Sample Received : Aug 14, 2025 Date Test Started : Aug 14,2025

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Conclusion:

Tested Sample Standard Result Submitted Sample As Per Applicant's Provided Requirement Pass

Free Formaldehyde Content

Authorized By:

On behalf of Intertek Testing Services

Taiwan Limited

Anna Jing

Assistant General Manager

Signed by:

Thomas Chou Manager







Test Conducted:

Number: TWNC01388537

1. Free Formaldehyde Content

With reference to EN ISO 14184-1: 2011, by UV-Vis Spectrophotometer (UV-VIS) analysis.

Tested Sample Result (ppm) Limit# (ppm) Beige synthetic leather ND 75

Remarks: = Parts per million = mg/kg ppm

= Not detected ND Detection limit = 5 ppm

= As per applicant's provided requirement

Page 2 of 3



Number : TWNC01388537



End of Report

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertektwn.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the

Reporting Statements of Conformity: Please note that the test results contain statement of conformity with the decision rules which are based on the specifications of customers, regulations and standards, and does not consider measurement uncertainty.





8F., No. 423, Ruiguang Rd., Neihu District, Taipei 114690, Taiwan, R.O.C. 全國公證檢驗股份有限公司 114690 台北市內湖區瑞光路 423 號 8 樓 Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2405





Test Report No.: HTH25800064 DATE: 2025/08/28 PAGE: 1 of 3

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

Sample Description : CSL LEATHER
Style/Item No. : ALL STYLE

Sample Receiving Date : 2025/08/19

Testing Period : 2025/08/19 to 2025/08/28

Test Requested :

The test was specified by client, please refer to the result table(s) for details.

Test Result(s) : Please refer to next page(s).

Singh Hsiao / Asst. Manage SGS
Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gs.com.bw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com.bw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention yand within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report No.: HTH25800064 DATE: 2025/08/28 PAGE: 2 of 3

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

Test Part Description

No.1 : Beige synthetic leather with light orange fabric backing

Test Result(s)

Test Item(s)	Method	Unit	RL	Result
				No.1
Hexavalent Chromium Cr(VI) (CAS No.18540-29-9)	With reference to ISO 17075-1:2017. Analysis was performed by UV-VIS spectrometry.	mg/kg	3	n.d.
Post-spike recovery	=:	%	-	

Note:

- 1. mg/kg = ppm; 0.1% = 1000 ppm
- 2. RL = Reporting Limit
- 3. n.d. = Not Detected = Less than RL
- 4. "-" = No Regulated
- 5. "--"=Post-Spike Recovery is between 80~120%.
- 6. The report is invalid if it is partly reproduced or used.
- 7. The testing item(s) was/were subcontracted to SGS Taiwan Ltd. Chemical Laboratory Kaohsiung.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gs.com.bw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com.bw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: HTH25800064

DATE: 2025/08/28


PAGE: 3 of 3

PT BERKAT UNGGUL PRATAMA

KOMPLEK CITTA GRAHA, JL. PANJANG NO.26 BLOK 2L, KEDOYA SELATAN, KEBON JERUK, JAKARTA BARAT

* The tested sample / part is marked by an arrow if it's shown on the photo. *

HTH25800064



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gs.com.bw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com.bw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.